

Log de Cambios Versión 3.2.2.24.24



- Se contempla la migración desde la versión **3.2.2.24.19**
- Realizar la actualización de personalizaciones, cualquier cambio en los SQL debe implmentarse en los archivos correspondientes de la nueva versión.

Después de actualizar los archivos de Software y los sitios, realizar las siguientes actualizaciones de base de datos con el SetupBox¹⁾.

1. *En SetupBox > Módulos > Común*

Para la versión 3.2.2.24.24 desde la versión 3.2.2.24.1f no existen actualizaciones, sin embargo, se recomienda verificar si existe alguna pendiente de migraciones anteriores. Dar clic en **Check Upgrade**

- Para actualizar la versión en base de datos:
Dar clic en **Apply Upgrade**.



- Habilitar la casilla **Full Update** para incluir los pasos de verificación de archivos .cfg y tablas/campos
- En caso de no activar la casilla **Full Update** se van a realizar unicamente las actualizaciones de versión pendientes

Resumen de verificación y actualización de los service pack

```
----- Build BDD Basic-----  
Generate:Common  
Generate:SetupBox  
Generate:DataLink  
Generate:CMDB  
Generate:Atis  
Generate:DRobot  
Generate:Demo
```

```

----- Verify BDD Basic-----
Create BDD:Common
Create BDD:SetupBox
Create BDD:DataLink
Create BDD:CMDB
Create BDD:Atis
Create BDD:DRobot
Create BDD:Demo
-- Interno Service Prefix[Common] BDD[mdf] --
changes were not in the database.
-- Interno Service Prefix[SetupBox] BDD[mdf] --
changes were not in the database.
-- Interno Service Prefix[DataLink] BDD[mdf] --
changes were not in the database.
-- Interno Service Prefix[CMDB] BDD[mdf] --
changes were not in the database.
-- Interno Service Prefix[Atis] BDD[mdf] --
YES      NEW_TABLE      TABLE:SDCASE_INPUTEMAIL
FIELD:IDSDCASE_INPUTEMAIL      SQL:CREATE TABLE SDCASE_INPUTEMAIL
([IDSDCASE_INPUTEMAIL]INTEGER IDENTITY(1,1), CONSTRAINT
IDSDCASE_INPUTEMAIL1 UNIQUE ([IDSDCASE_INPUTEMAIL]))
YES      NEW_COLUMN      TABLE:SDCASE_INPUTEMAIL      FIELD:IDSDCASE
SQL:ALTER TABLE SDCASE_INPUTEMAIL ADD [IDSDCASE]INTEGER
YES      NEW_COLUMN      TABLE:SDCASE_INPUTEMAIL      FIELD:EMAIL_DATEIN
SQL:ALTER TABLE SDCASE_INPUTEMAIL ADD [EMAIL_DATEIN]DATETIME
YES      NEW_COLUMN      TABLE:SDCASE_INPUTEMAIL      FIELD:EMAIL_SOURCE
SQL:ALTER TABLE SDCASE_INPUTEMAIL ADD [EMAIL_SOURCE]VARCHAR(255)
YES      NEW_COLUMN      TABLE:SDCASE_INPUTEMAIL
FIELD:EMAIL_SUBJECT      SQL:ALTER TABLE SDCASE_INPUTEMAIL ADD
[EMAIL_SUBJECT]TEXT
YES      NEW_COLUMN      TABLE:SDCASE_INPUTEMAIL
FIELD:EMAIL_DESCRIPTION      SQL:ALTER TABLE SDCASE_INPUTEMAIL ADD
[EMAIL_DESCRIPTION]TEXT
YES      NEW_COLUMN      TABLE:SDCASE_INPUTEMAIL
FIELD:EMAIL_DESCRIPTION_BA      SQL:ALTER TABLE SDCASE_INPUTEMAIL ADD
[EMAIL_DESCRIPTION_BA]VARBINARY(MAX)
YES      NEW_COLUMN      TABLE:SDCASE_INPUTEMAIL
FIELD:IDSYSTEMSTATUS      SQL:ALTER TABLE SDCASE_INPUTEMAIL ADD
[IDSYSTEMSTATUS]INTEGER
YES      NEW_COLUMN      TABLE:SURVEYDATAUSER
FIELD:SURVEYDATAUSER_DATEVOTE      SQL:ALTER TABLE SURVEYDATAUSER ADD
[SURVEYDATAUSER_DATEVOTE]DATETIME
YES      NEW_TABLE      TABLE:SURVEYDATAUSERLOG
FIELD:IDSURVEYDATAUSERLOG      SQL:CREATE TABLE SURVEYDATAUSERLOG
([IDSURVEYDATAUSERLOG]INTEGER IDENTITY(1,1), CONSTRAINT
IDSURVEYDATAUSERLOG1 UNIQUE ([IDSURVEYDATAUSERLOG]))
YES      NEW_COLUMN      TABLE:SURVEYDATAUSERLOG
FIELD:IDSURVEYDATAUSER      SQL:ALTER TABLE SURVEYDATAUSERLOG ADD
[IDSURVEYDATAUSER]INTEGER
YES      NEW_COLUMN      TABLE:SURVEYDATAUSERLOG
FIELD:IDSURVEYOPTION      SQL:ALTER TABLE SURVEYDATAUSERLOG ADD

```

```

[IDSURVEYOPTION]INTEGER
YES      NEW_COLUMN      TABLE:SURVEYDATAUSERLOG
FIELD:SURVEYOPTION_NAME      SQL:ALTER TABLE SURVEYDATAUSERLOG ADD
[SURVEYOPTION_NAME]VARCHAR(50)
YES      NEW_COLUMN      TABLE:SURVEYDATAUSERLOG
FIELD:SURVEYOPTION_DESCRIPTION      SQL:ALTER TABLE SURVEYDATAUSERLOG
ADD [SURVEYOPTION_DESCRIPTION]TEXT
YES      NEW_COLUMN      TABLE:SURVEYDATAUSERLOG
FIELD:SURVEYDATAUSER_COMMENTARY      SQL:ALTER TABLE SURVEYDATAUSERLOG
ADD [SURVEYDATAUSER_COMMENTARY]TEXT
YES      NEW_COLUMN      TABLE:SURVEYDATAUSERLOG
FIELD:SURVEYDATAUSER_DATEVOTE      SQL:ALTER TABLE SURVEYDATAUSERLOG ADD
[SURVEYDATAUSER_DATEVOTE]DATETIME
-- Interno Service Prefix[DRobot] BDD[mdf] --
YES      NEW_COLUMN      TABLE:DREMAILNEWCASEDETAIL
FIELD:REPONSEEMAIL      SQL:ALTER TABLE DREMAILNEWCASEDETAIL ADD
[REPONSEEMAIL]BIT
YES      NEW_COLUMN      TABLE:DREMAILNEWCASEDETAIL
FIELD:REPONSEEMAIL_START      SQL:ALTER TABLE DREMAILNEWCASEDETAIL ADD
[REPONSEEMAIL_START]VARCHAR(50)
YES      NEW_COLUMN      TABLE:DREMAILNEWCASEDETAIL
FIELD:REPONSEEMAIL_END      SQL:ALTER TABLE DREMAILNEWCASEDETAIL ADD
[REPONSEEMAIL_END]VARCHAR(50)
-- Interno Service Prefix[Demo] BDD[mdf] --
changes were not in the database.

----- Build BDD Extra-----
Generate:CIExtraTable
Generate:ServiceExtraTable
Generate:BaseLine

----- Verify BDD Extra-----
Create:CIExtraTable
Create:ServiceExtraTable
Create:BaseLine
-- Interno Service Prefix[CMDB_EF] BDD[mdf] --
changes were not in the database.
-- Interno Service Prefix[ST] BDD[mdf] --
changes were not in the database.
-- Interno Service Prefix[BL] BDD[mdf] --
changes were not in the database.

----- apply service pack -----

UpGrade Service pack completed
Service OK: 0
Service Error: 0

```

----- Upgrade Model -----
[Actualización de modelos]

[Resumen de cambios 3.2.2.24.24](#)

1)

Modulo para administrar conexión con motor de base de datos

From:
<http://www.leverit.com/ithelpcenter/> - **IT Help Center**

Permanent link:
http://www.leverit.com/ithelpcenter/es:versiones:ver_25_34

Last update: **2021/09/10 21:03**

